

Pura[®] Insulation Release

Release Agent for Spray Polyurethane Foam Insulation

Pura[®] Insulation Release is a blend of silicones and specialized parting agents that are specifically designed to prevent spray polyurethane foam insulation from adhering to most surfaces where the product is applied.

Pura[®] Insulation Release acts as an effective barrier coat to keep overspray of polyurethane foam insulation from adhering to items such as spray equipment, tub & shower stalls and other non-porous surfaces.

Recommended Use

Applications	Rigid spray polyurethane insulation foam
---------------------	--

Recommended Temp. Range (°F/°C)	Ambient room temp. to 167°F/75°C
--	----------------------------------

Application

1. Shake can well when starting a new can.
2. Thoroughly clean the application surface with a Chem-Trend cleaner to remove excessive amounts of dirt and contaminants. Wipe dry with a clean cloth or towel.
3. Hold aerosol spray can 8-10"/20-25 cm from application surface. Apply a light, uniform coating using a sweeping motion.

Pura[®] Insulation Release can also be applied with a soft-bristled brush, or wiped on with a cotton cloth.

4. Reapply as needed to ensure adequate release ease.

Cleaning

Surfaces can be cleaned of any residue by a solvent wipe.

Storage

If stored in cold temperatures, allow product to warm to room temperature prior to use.

Handling

We believe Pura[®] Insulation Release has a low degree of hazard when used as intended. For more information, request a copy of Chem-Trend's Material Safety Data Sheet.

Packaging

Pura[®] Insulation Release is available in aerosol cans (12 cans per case).

While the technical information and suggestions for use contained herein are believed to be accurate and reliable, nothing stated in this bulletin is to be taken as a warranty either expressed or implied.